



SPEED AND ACCURACY
TO BOOST PRODUCTIVITY



PROB 300



PROB 300

THE OPTIMAL BLOCKER THAT FITS
PERFECTLY INTO YOUR LAB

1

ULTRA ACCURATE DESIGN

- Advanced optical system to trace the lens
 - Optical tracing of even the most complex demo lenses, including Half Jacket
 - Simultaneous detection of drilling data and axis
- Center with a parallax free design
- Block with a pressure control unit



VARIANT WITH A HEAVY-DUTY FRAME TRACER


- Trace the frame
 - Automatic binocular tracing in 3D up to base 9
 - High precision patented tracing cycle with the acquisition of the frame bevel profile
 - Advanced high-base cycle profile



2

BLOCKING IS EASIER WITH PRO-B 300™

- Large screen size
- Shape and drilling libraries
- Centering assistance
- Automatic detection of centering marks
- Ergonomic front loading of posiblock
- No need to handle the lens while blocking
- Compatibility with multiple posiblock designs and sizes
- Chemistrie™ job management



SPECIFICATIONS

Dimensions W 13 | D 20 | H 24 in

Weight 50 lb | 38 lb

Power supply 230 V or 115 V – 50/60 Hz

Remote maintenance Diagnostic | Settings | Updates

Optional accessories Bar code scanner, pedal

Connectivity

ISO 16284 (DCS 3.09 compatible)

Ethernet network connectable-Essibox®
and PC connection

Large range of extended configuration

As improvements are made, these specifications are not contractually binding and may be modified without prior notice. PRO-B 300™ is a trademark of Essilor.

